

(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

Client:		Sample (according to declaration of the Client)
BIOSELECT CHARMANI – CHRISTOULAKIS VAT: EL 099984857 4, PAPANIKOLAOU STR, RETHYMNO, CRETE, PO BOX 74100		BIOSELECT OLIVE SUN CREAM FOR FACE & BODY SPF 30
Received on:	03.04.2017	
Analysis completed on:	11.05.2017	
Report date:	23.05.2017	

IN VIVO DETERMINATION OF THE SUN PROTECTION FACTOR (SPF) FINAL REPORT (COMPLEMENT OF PRELIMINARY ASSESSMENT NO. 121342/17/JSHR)

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

SCOPE OF TEST COMPLIANT WITH:

- Regulation of the European Parliament and of the Council (EC) no. 1223/2009 of 30 November 2009 on cosmetic products.
- EN ISO 24444:2010/PN-EN ISO 24444:2011 Cosmetics Sun Protection test methods In vivo determination of the sun protection factor (SPF).
- Recommendation No. 2006/647/EC on the efficacy of sunscreen products and the claims made relating thereto.

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

CONTENT OF THE REPORT:

- 1. The basis of the study.
- 2. Subject of test.
- 3. Qualitative composition of the product.
- 4. Purpose of the test.
- 5. Samples and testing conditions.
- 6. Inclusion criteria.
- 7. Non-inclusion criteria.
- 8. Testing equipment.
- 9. Laboratory staff.
- 10. Description of the methodology.
- 11. SPF reference standard.
- 12. Product labeling method.
- 13. Date of performance of the study.
- 14. Test results.
- 15. Conclusion.
- 16. Signatures.

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

1. THE BASIS OF THE STUDY

- Test samples delivered by the Client.
- The qualitative composition of the product delivered by the Client.
- Declaration of conformity composition of the product.
- The result of microbiology purity of the product declared by the Client.
- Negative test results dermatological of the product delivered by the Client (Report no.: SI.01.C_2014/168).
- Declared a sun protection factor: 30.
- Preliminary assessment in vivo determination of the Sun Protection Factor SPF (Report no.: 121342/17/JSHR).

2. SUBJECT OF TEST

No.	Parameter	Description
1.	Appearance	Emulsion
2.	Color	Creamy
3.	Fragrance	Characteristic for used fragrance composition
4.	Packaging	Repackaging covered with a label containing the name of the product



Picture 1: Sample no. 121348/17/JSHR - subject of study.

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

3. QUALITATIVE COMPOSITION OF THE PRODUCT

Aqua (Water), Ethylhexyl Methoxycinnamate, Octocrylene, Butyl Methoxydibenzoylmethane, C12-15 Alkyl Benzoate, Cetearyl Alcohol, Potassium Cetyl Phosphate, Glycerin, Dibutyl Adipate, Diethylamino Hydroxybenzoyl Hexyl Benzoate, Aloe Barbadensis Leaf Juice, Simmondsia Chinensis (Jojoba) Seed Oil, Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine, Olea Europaea (Olive) Fruit Oil, Benzyl Alcohol, Butyrospermum Parkii (Shea) Butter, Glyceryl Stearate, Cetearyl Glucoside, Glyceryl Undecylenate, PEG-100 Stearate, Helianthus Annuus (Sunflower) Seed Oil, Origanum Dictamnus Flower/Leaf/Stem Extract, Parfum, Xanthan Gum, Echinacea Purpurea Root Extract, Potassium Sorbate, Dehydroacetic Acid, Rosmarinus Officinalis (Rosemary) Leaf Extract, Tetrasodium Glutamate Diacetate.

The Client is responsible for compliance with the declared qualitative composition of the product and microbiological purity of sent samples for testing.

4. PURPOSE OF THE TEST

Confirmation / exclusion declared by the Manufacturer the Sun Protection Factor level.

5. SAMPLES AND TESTING CONDITIONS

Upon arrival, all products are registered on the HAMILTON LIMS System and kept at room temperature (unless otherwise requested). The test is performed in an air-conditioned room, with the room temperature maintained at 22 ± 4 °C and the relative humidity 50 ± 10 %.

6. INCLUSION CRITERIA

Healthy volunteers,

Subject having given her/his informed, written consent,

Subject that is willing to cooperate and aware of the necessity and duration of controls so that perfect adhesion to the protocol established by the clinical trial center could have been expected,

Age between 18 and 60,

Type: Caucasian,

Phototype: I to III,

Untanned skin on the test area.

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

7. NON-INCLUSION CRITERIA

Children and persons below the age of consent or >60 years,
Pregnant or lactating women,
Persons using medication with photo-sensitizing potential,
Persons using anti-inflammatory medication,
Persons with dermatological conditions,
Persons with a history of abnormal response to the sun,
Persons accustomed to using tanning beds,
Persons having had sun exposure on the back area in the previous four weeks prior to SPF testing,
Persons having marks, blemishes or nevi or presenting existing sun damage in the test area,
Persons having excessive hair in the area of the test.

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

8. TESTING EQUIPMENT

UV source:	Xenon lamp:		
	Solar Light type Multiport 601		
	Spectrum:		
	290 - 400 nm		
	Power of the lamp:		
	300 W.		
	Elimination of IR and visible radiation:		
	UG11 (1mm) and dichroic mirror.		
	Radiated surface:		
	Six holes (diameter 8 mm).		
UV Light	Solar Light Co. DCS 2.0.		
Radiometer:			
Detector:	Solar Light Co. Erythema detector PMA2108.LLG.		

9. LABORATOTY STAFF

The application of the product and visual skin assessment of the responses are made by technically qualified and trained persons.

10. DESCRIPTION OF METHODOLOGY

The SPF test method is a laboratory method that utilizes a xenon arc lamp solar simulator of defined and known output to determine the protection provided by sunscreen products on human skin against erythema induced by solar ultraviolet rays. The test is restricted to the area of the back of selected human volunteers. A section of each volunteer's skin is exposed to ultraviolet light without any protection and another section is exposed after application of the sunscreen product under test. One further section is exposed after application of an SPF reference sunscreen formulation which is used for validation of the procedure.

To determine the sun protection factor, incremental series of delayed erythemal responses are induced on a number of small sub-sites on the skin. These responses are visually assessed for the presence of redness 16 to 24 hours after UV radiation, by the judgment for a trained evaluator. The Minimal Erythema Dose (MED) for unprotected skin (MEDu) and the MED obtained after application of a sunscreen product (MED for product protected skin MEDp) shall be determined on the same volunteer on the same day. An individual sun protection factor (SPFi) for each volunteer tested is calculated as the ratio of individual MED on product protected skin divided by the individual MED on unprotected skin MEDp / MEDu. The sun protection factor

Marta Rosińska, Cosmetic Laboratory Manager Authorised by: Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

for the product (SPF) is the arithmetic mean of all valid SPFi results from each volunteer in the test. The minimum area for a product application site shall be 30 cm² and the maximum shall be 60 cm². The position of the products must be random distributed on the back over the whole test group of volunteers in order to reduce systematic error to anatomical differences in skin. The samples have been distributed in a quantity equal to $2,00 \pm 0,05 \text{ mg/cm}^2$. After product is applied to the skin, exposure of the test site begins after a waiting period of 15-30 minutes. Lotions, liquids, milks, creams and sprays: To aid uniform coverage, droplets (approximately 15 per 30 cm², 30 per 60 cm²) of the product are deposited within the site using a syringe/pipette, then spread over the whole test site using light pressure. Drying time between application and UV exposure: exposure of the test site to the sequence of UV doses shall start 15 min to 30 min after the application of the products. Any extraneous exposure of the test sites to UV light (artificial or natural) shall be avoided during this period and for a period of 24 h after exposure. For the unprotected site, the center of the total UV dose range is established using the volunteer's provisional MEDu or estimated MEDu. 6 sub-sites centered provisional/estimated MEDu shall be exposed with incremental UV doses using a geometric progression of 1.25. Other geometric progression of less than 1.25 may be used but should be consistent throughout the test. For the product-protected site, the UV doses delivered are defined by the expected MEDp which is the multiple of the expected SPF of the test product and the provisional MEDu for the volunteer. 6 sub-sites centered on the provisional/estimated MEDu shall be exposed with incremental UV doses using a recommended geometric progression of 1.25. Other geometric progression may be used (e.g. 1.2, 1.15, 1.12). A maximum geometric progression of 1.15 shall be used for expected SPF >25. Smaller geometric progression (e.g. 1.12) may be used but should be consistent throughout the test.

11. SPF REFERENCE STANDARD

The method is controlled by the use of one of three reference sunscreen formulations to verify the test procedure (P2, P3, P7). At least one standard product must be used per test. The mean SPF and the acceptance limits for the used reference sunscreen formulations are:

Reference Sunscreen	Mean SPF	Range (±SD)	Acceptance limits (mean + 2SD)		
Formulation			Lower limit	Upper limit	
Р3	15,7	1,0	13,7	17,7	

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

12. PRODUCT LABELING METHOD

The following range of sun protection factors for each category and the respective labeling is recommended (in accordance with 2006/647/CE):

Labelled category	Labelled sun protection	Measured sun protection	
	factor	factor	
"Low protection"	"6"	6-9,9	
	"10"	10-14,9	
"Medium protection"	"15"	15-19-9	
	"20"	20-24,9	
	"25"	25-29,9	
"High protection"	"30"	30-49,9	
	"50"	50-59,9	
"Very high protection"	"50+"	60≤	

13. DATE OF PERFORMANCE OF THE STUDY

121342/17/JSHR: 24.04.2017-28.04.2017 121348/17/JSHR: 08.05.2017-11.05.2017

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

14.TEST RESULTS

	VOLUNTEERS			RESULTS					
No.	Volunteer code	Age	Sex	Phototype	MEDu	MEDs	MEDp	SPFs	SPFi p
					mJ/cm^2				
1	17/SPF	34	М	II	28,00	470,40	840,00	16,80	30,00
2	15/SPF	25	М	II	40,00	618,24	1200,00	15,46	30,00
3	18/SPF	55	W	I	28,00	463,68	900,00	16,56	32,14
4	8/SPF	19	W	I	42,00	705,60	1260,00	16,80	30,00
5	9/SPF	19	М	I	30,00	470,40	900,00	15,68	30,00
6	5/SPF	46	W	I	28,00	439,04	840,00	15,68	30,00
7	20/SPF	23	М	II	44,00	608,00	1320,00	13,82	30,00
8	7/SPF	49	W	II	26,00	364,00	806,00	14,00	31,00
9	12/SPF	46	W	I	26,00	364,00	780,00	14,00	30,00
10	4/SPF	56	W	II	38,00	532,00	1140,00	14,00	30,00
Average value						15,28	30,31		
Standard deviation					1,23	0,72			
cn					0,88	0,51			
Cln(100%)					5,77	1,69			

15.CONCLUSION

Product « BIOSELECT OLIVE SUN CREAM FOR FACE & BODY SPF 30 »

- a. mean SPF value: **30,31.**
- b. standard deviation: 0,72.
- c. 95%CI confidence interval: from 30,00 to 32,14.
- d. SPF value to be used in labelling (according to 2006/647/CE): **30.** (high protection).

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.



(Replaces the report no. 121348/17/JSHR made on 12.05.2017)

16.SIGNATURES

Authorized by:	Cosmetic Laboratory Manager Marta Rosińska	
Authorized by:	Dermatologist Dorota Karpowicz 9055994	

Authorised by: Marta Rosińska, Cosmetic Laboratory Manager Dorota Karpowicz, Dermatologist, 9055994

The results relate to the analysed samples only.